

Table 6
Draft MicroVac Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy						
	Field Sample ID:	MWF-VAC-001	MWF-VAC-002	MWF-VAC-003	MWF-VAC-005	MWF-VAC-201	MWF-VAC-203	MWF-VAC-204
	Sample Date:	6/26/2016	6/26/2016	6/30/2016	7/1/2016	6/28/2016	6/28/2016	6/28/2016
	Laboratory Job Number:	82856	82856	82950	82949	82873	82873	82873
	Adult / Child / Duplicate:							
Units								
Metals / NIOSH-7303(M)								
Aluminum	µg/m ²	92.8	57	31.8 *	154.6	8.46 *	93.2 *	35.4 *
Antimony	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Arsenic	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Barium	µg/m ²	12	7.78	1.7	14.22	6.02	10.6	5.54
Beryllium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Cadmium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Calcium	µg/m ²	19.4	15.6	ND<0.075 *	800	30 *	346 *	112 *
Chromium	µg/m ²	64	7.6	1.76	1.92	ND<0.075	ND<0.075	ND<0.075
Cobalt	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Copper	µg/m ²	2.06	ND<0.075	ND<0.075	3.54	9.94	ND<0.075	ND<0.075
Iron	µg/m ²	31.6	246	ND<0.075	ND<0.075	138.8	45.2	ND<0.075
Lead	µg/m ²	ND<0.075	ND<0.075	ND<0.075	4.54	ND<0.075	ND<0.075	ND<0.075
Magnesium	µg/m ²	622	46	46	41.2 *	606 *	316 *	ND<0.075
Manganese	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Molybdenum	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Nickel	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Potassium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	78	23.4	ND<0.075
Selenium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Sodium	µg/m ²	ND<0.075	ND<0.075	ND<0.075 *	ND<0.075	92	ND<0.075	130
Thallium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Vanadium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Zinc	µg/m ²	20.4	22.8	4.64	19.66	5.86	19.7	8.28

Notes:
Bold results indicate detected compounds.
Highlighted results exceed applicable limits for characteristic hazardous wastes.
ND-X = constituents(s) not detected at or above method detection limit
* = concentration amended based on contamination in blank sample
µg/m² = microgram per square meter

Table 6
Draft MicroVac Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy						
	Field Sample ID:	MWF-VAC-215	MWF-VAC-216	MWF-VAC-217	MWF-VAC-218	MWF-VAC-219	MWF-VAC-220	MWF-VAC-221
	Sample Date:	6/30/2016	6/30/2016	6/30/2016	6/30/2016	6/30/2016	6/30/2016	6/30/2016
	Laboratory Job Number:	82950	82950	82950	82950	82950	82950	82950
	Adult / Child / Duplicate:							
	Units							
Metals / NIOSH-7303(M)								
Aluminum	µg/m ²	ND<0.075 *	98.6 *	5.9 *	ND<0.075 *	8 *	76 *	1.64 *
Antimony	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Arsenic	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Barium	µg/m ²	ND<0.075	10.86	2.82	ND<0.075	ND<0.075	82.8	16.92
Beryllium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Cadmium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Calcium	µg/m ²	ND<0.075 *	260 *	31.6 *	ND<0.075 *	ND<0.075 *	1134 *	410 *
Chromium	µg/m ²	ND<0.075	1.86	2.16	ND<0.075	1.92	2.82	2.32
Cobalt	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Copper	µg/m ²	ND<0.075	2.62	ND<0.075	ND<0.075	ND<0.075	12.28	3.76
Iron	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	410	248
Lead	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	3.66	2.36
Magnesium	µg/m ²	ND<0.075	810	125	46	29.4	1286	496
Manganese	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	15.9	6.76
Molybdenum	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Nickel	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Potassium	µg/m ²	634	40.4	ND<0.075	ND<0.075	11.36	147	145.6
Selenium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Sodium	µg/m ²	ND<0.075 *	27.4 *	19.4 *	ND<0.075 *	21.4 *	ND<0.075	ND<0.075
Thallium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Vanadium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	2.56	1.76	ND<0.075
Zinc	µg/m ²	ND<0.075	12.84	ND<0.075	ND<0.075	3.48	70.4	23

Notes:
Bold results indicate detected compounds.
Highlighted results exceed applicable limits for
ND-X = constituent(s) not detected at or above
* = concentration amended based on contaminant
µg/m² = microgram per square meter

Table 6
Draft MicroVac Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

Parameters	Home:	Ex. 6 - Personal Privacy						
	Field Sample ID:	MWF-VAC-222	MWF-VAC-223	MWF-VAC-300	MWF-VAC-301	MWF-VAC-302	MWF-VAC-303	MWF-VAC-304
	Sample Date:	6/30/2016	6/30/2016	6/30/2016	6/30/2016	7/1/2016	7/1/2016	7/1/2016
	Laboratory Job Number:	82950	82950	82950	82950	82949	82949	82949
	Adult / Child / Duplicate:							
Parameters	Units							
Metals / NIOSH-7303(M)								
Aluminum	µg/m ²	127.6 *	133 *	146 *	274 *	56	14.5	202
Antimony	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Arsenic	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Barium	µg/m ²	9.96	5.56	8.16	7.82	ND<0.075	ND<0.075	8.76
Beryllium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Cadmium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Calcium	µg/m ²	44 *	438 *	468 *	788 *	346	88.6	1056
Chromium	µg/m ²	76	2.36	2.42	2.42	ND<0.075	ND<0.075	2.36
Cobalt	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Copper	µg/m ²	2.94	3.54	3.26	3.26	2.8	ND<0.075	4.88
Iron	µg/m ²	238	416	416	416	ND<0.075	ND<0.075	344
Lead	µg/m ²	1.68	1.68	1.68	1.68	ND<0.075	ND<0.075	2.48
Magnesium	µg/m ²	148	216	216	216	382	11.96	191
Manganese	µg/m ²	2.06	2.06	2.06	2.06	ND<0.075	ND<0.075	7.3
Molybdenum	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Nickel	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Potassium	µg/m ²	78	130.6	130.6	130.6	50	ND<0.075	218
Selenium	µg/m ²	ND<0.075	ND<0.075 *	ND<0.075 *	ND<0.075 *	ND<0.075	ND<0.075	ND<0.075
Sodium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	124.6	78.6	63.6
Thallium	µg/m ²	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075	ND<0.075
Vanadium	µg/m ²	ND<0.075	1.52	ND<0.075	13.76	ND<0.075	ND<0.075	ND<0.075
Zinc	µg/m ²	18.18	18.48	16.38	22.4	6.2	ND<0.075	25.8

Notes:
Bold results indicate detected compounds.
Highlighted results exceed applicable limits for
ND-X = constituent(s) not detected at or above
* = concentration amended based on contaminant
µg/m² = microgram per square meter

Table 6
Draft MicroVac Analytical Results
Fruitland Magnesium Fire
Maywood, Los Angeles County, California

	Home:	Ex. 6 - Personal Privacy		
	Field Sample ID:	MWF-VAC-305	MWF-VAC-306	MWF-VAC-307
	Sample Date:	7/1/2016	7/1/2016	7/1/2016
	Laboratory Job Number:	82949	82949	82949
	Adult / Child / Duplicate:			
	Units			
Parameters				
Metals / NIOSH-7303(M)				
Aluminum	µg/m ²	7	218	4.06
Antimony	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Arsenic	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Barium	µg/m ²	ND<0.075	8.36	ND<0.075
Beryllium	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Cadmium	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Calcium	µg/m ²	65.6	596	48
Chromium	µg/m ²	ND<0.075	2.46	ND<0.075
Cobalt	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Copper	µg/m ²	ND<0.075	3.72	ND<0.075
Iron	µg/m ²	ND<0.075	586	ND<0.075
Lead	µg/m ²	ND<0.075	2.46	ND<0.075
Magnesium	µg/m ²	17	38	8.56
Manganese	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Molybdenum	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Nickel	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Potassium	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Selenium	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Sodium	µg/m ²	63.6	ND<0.075	48
Thallium	µg/m ²	ND<0.075	ND<0.075	ND<0.075
Vanadium	µg/m ²	ND<0.075	2	ND<0.075
Zinc	µg/m ²	ND<0.075	20.2	ND<0.075

Notes:
Bold results indicate detected compounds.
Highlighted results exceed applicable limits for
ND-X = constituent(s) not detected at or above
* = concentration amended based on contaminant
µg/m² = microgram per square meter